

## DIRECTIONS FOR USE

CROP FUEL™ is recommended for use on all crops during early growth periods that require relatively high levels of zinc and boron. CROP FUEL™ is fully water soluble and provides readily available nutrients as shown in the guaranteed analysis for foliar applications.

CROP FUEL™ will be influenced by differences in varieties, soil and environmental conditions and should be applied under conditions of optimum plant growth. Optimum conditions are defined as adequate humidity, moderate temperatures and adequate soil moisture. Optimum conditions for foliar application to most crops generally occur during early morning or late evening hours.

- Avoid application under extreme conditions such as temperatures above 86°F and wind speeds exceeding 5 mph.
- Wear suitable protective clothing when sprayed with other products.
- Optimum results with this product is obtained if the pH of the tank mix is between 5 and 6.
- This product should be applied as a foliar spray when crops have sufficient leaf area.
- For optimum results CROP FUEL™ should be used in a plant nutrition program.
- Recommendations should be based on soil and leaf analyses.
- Where overhead irrigation systems are in use, avoid scheduling irrigation directly after application.
- In orchards equipped with micro irrigation systems, spray deposits should not be affected by irrigation.

## CAUTION

Do not apply on wet fruit or when plants are under water or heat stress, or during cool wet conditions. Do not spray CROP FUEL™ within 30 days after application of any copper containing products. Do not store mixed product for more than 8 hours. Do NOT mix or apply in combination with calcium containing products, amine herbicides, copper containing fungicides, sulfates, phosphates, phosphonates, and highly alkaline materials, such as lime sulfur, MCPA or highly alkaline boron products. Do not exceed the appropriate application rates.

## CAUTION

CROP FUEL™ contains boron. Use of CROP FUEL™ on any crops other than those recommended may result in serious injury to the crop(s).

## STORAGE & DISPOSAL

Store product in original container. DO NOT store in excessive cold or heat or direct sunlight. DO NOT contaminate water, food or feed by storage or disposal. Keep packaging closed, securely fastened and upright. Triple rinse or equivalent and dispose of container in accordance with local, state and federal regulations.

## CROP FUEL™

F002806

### GUARANTEED ANALYSIS

Sulfur (S)	2.50%
2.5% Combined Sulfur (S)	
Boron (B)	1.70%
Zinc (Zn)	6.50%
6.50% Water Soluble Zinc (Zn)	

Derived From: Boron Ethanolamine, Zinc Sulfate  
ALSO CONTAINS NON PLANT FOOD INGREDIENT:  
13% Kelp (*Ascophyllum nodosum*, *Durvillaea potatorum*, *Ecklonia maxima*) (Microbe food)



**Agri Technovation Inc.**

516 Villa Ave, Ste 23,  
Clovis, CA, 93612



### REFUEL YOUR CROP WITH SULFUR, BORON AND ZINC

STORE ABOVE 40°F

Density: 10.26 lbs/gal @ 68°F (20°C)

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

### KEEP OUT OF REACH OF CHILDREN.



**DANGER** Causes severe skin burns and eye damage. May damage fertility of the unborn child. Obtain special instructions before use. Do not handle until all the safety precautions have been read and understood. If exposed or concerned: Get medical advice. Do not breathe spray. Wear personal protective equipment. Wash skin thoroughly after handling and contaminated clothing before reuse. Store locked up. Dispose of container in accordance with regulations. IF SWALLOWED: Rinse mouth. Do not induce vomiting. IF ON SKIN (or hair): Remove all contaminated clothing immediately. Rinse skin with water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**NET CONTENTS: 2.5 GALLONS (9.5 LITERS),  
NET WEIGHT: 25.66 LBS (11.69 KG)**

## APPLICATION RATES

The rate of application is dependent on the soil fertility and reaction required. See table of recommended application rates for foliar application. For other modes of application, consult a qualified advisor. The lower rates should be used for maintenance while the higher rates will correct nutritional deficiencies.

## MIXING

Agitate CROP FUEL™ well before dilution or use. Always mix CROP FUEL™ with sufficient quantities of water. Never apply CROP FUEL™ undiluted. Follow standard tank mixing procedures. Ensure good agitation throughout application.

## COMPATIBILITY

It is advisable to do a miscibility test prior to mixing with any other product and to consult with a qualified advisor or distributor.

## DISCLAIMER

The manufacturer, importer and seller make no express or implied warranties, including any warranty of merchantability, fitness for a particular purpose, or suitability. The product is sold "AS-IS". All sales are final. In no event will manufacturer, importer and seller have any liability for any damages, whether direct, incidental, special or consequential arising out of or in connection with any duty with respect to the product, including, but not limited to lost profits, lost sales or injury to persons or property. Manufacturer, importer and seller's liability on any claim of any kind, including but not limited to warranty, negligence, strict liability, and any other cause of action, for any loss or damage arising out of, connected with, or resulting from the performance or breach of the terms of sale of any goods, or any related services related to sale, delivery, resale, technical direction, inspection, operation or use of any goods or services or part of those goods or services will in no case exceed the purchase price allocable to the goods or services or part of those goods or services that gives rise to the claim. Manufacturer, importer and seller make no representation whatsoever with regard to whether any goods comply with the Occupational Safety and Health Act (OSHA), the Americans with Disabilities Act (ADA), or any other federal, state or local statute, law, ordinance or ruling. Customer, buyer and user assume all responsibility for use of product.

## APPLICATION RATES

Crop	Dosage per acre	Rate per 100 gal of water	Additional Information
Maize	2 – 3.5 pt	2 gal	Apply at V3 –V6 growth stages.
Sunflower	2 – 3.5 pt	2 gal	Apply 4 – 8 weeks after emergence.
Soybeans	2 – 3.5 pt	2 gal	Apply 4 – 8 weeks after emergence.
Dry beans	1 – 1.75 pt	1.5 gal	Apply 4 – 8 weeks after emergence.
Peanuts	2 – 3.5 pt	2 gal	Apply 3 – 6 weeks after emergence.
Cotton	2 – 3.5 pt	2 gal	Apply with appearance of first squares and repeat 3 times every 3 - 4 weeks.
Wheat	2 – 3.5 pt	2 gal	Apply at Feekes growth stages 1-6.
Grain Sorghum	2 – 3.5 pt	2 gal	Apply at Feekes growth stages 1-6.

## CROP FUEL™

F002806

### GUARANTEED ANALYSIS

Sulfur (S)	2.50%
2.5% Combined Sulfur (S)	
Boron (B)	1.70%
Zinc (Zn)	6.50%
6.50% Water Soluble Zinc (Zn)	

Derived From: Boron Ethanolamine, Zinc Sulfate  
 ALSO CONTAINS NON PLANT FOOD INGREDIENT:  
 13% Kelp (*Ascophyllum nodosum*, *Durvillaea potatorum*, *Ecklonia maxima*) (Microbe food)



**Agri Technovation**  
 Specialized to succeed

**Agri Technovation Inc.**  
 516 Villa Ave, Ste 23,  
 Clovis, CA, 93612



### REFUEL YOUR CROP WITH SULFUR, BORON AND ZINC

STORE ABOVE 40°F

Density: 10.26 lbs/gal @ 68°F (20°C)

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

### KEEP OUT OF REACH OF CHILDREN.



**DANGER** Causes severe skin burns and eye damage. May damage fertility of the unborn child. Obtain special instructions before use. Do not handle until all the safety precautions have been read and understood. If exposed or concerned: Get medical advice. Do not breathe spray. Wear personal protective equipment. Wash skin thoroughly after handling and contaminated clothing before reuse. Store locked up. Dispose of container in accordance with regulations. IF SWALLOWED: Rinse mouth. Do not induce vomiting. IF ON SKIN (or hair): Remove all contaminated clothing immediately. Rinse skin with water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

NET CONTENTS: 2.5 GALLONS (9.5 LITERS),  
 NET WEIGHT: 25.66 LBS (11.69 KG)

LIFT  
 HERE