

DIRECTIONS FOR USE

INCREMENTUM™ is recommended for use on all crops during plant growth periods that require relatively high levels of nitrogen, phosphate, potassium, magnesium, sulfur, manganese and zinc. INCREMENTUM™ is fully water soluble and provides readily available nutrients as shown in the guaranteed analysis for foliar applications.

INCREMENTUM™ will be influenced by differences in crop varieties, soil and environmental conditions and should be applied under conditions of optimum plant growth. Optimum conditions are defined as adequate humidity, moderate temperatures and adequate soil moisture. Optimum conditions for foliar application to most crops generally occur during early morning or late evening hours.

- Avoid application under extreme conditions such as temperatures above 86°F and wind speeds exceeding 5 mph.
- Wear suitable protective clothing when sprayed with other products.
- Optimum results with this product is obtained if the pH of the tank mix is between 5 and 6.
- This product should be applied as a foliar spray when crops have sufficient leaf area.
- For optimum results INCREMENTUM™ should be used in a plant nutrition program.
- Recommendations should be based on soil and leaf analyses.
- Where overhead irrigation systems are in use, avoid scheduling irrigation directly after application.
- In orchards equipped with micro irrigation systems, spray deposits should not be affected by irrigation.

CAUTION

Do not apply on wet fruit or when plants are under water or heat stress, or during cool wet conditions. Do not spray INCREMENTUM™ within 30 days after application of any copper containing products. Do not store mixed product for more than 8 hours. Do NOT mix or apply in combination with calcium containing products, amine herbicides, copper containing fungicides, sulfates, phosphates, phosphonates, and highly alkaline materials, such as lime sulfur, MCPA or highly alkaline boron products. Do not exceed the appropriate application rates.

Consult with your distributor, crop adviser or manufacturer should crop specific programs, or any other information be required around the use of this product.

STORAGE & DISPOSAL

Store product in original container. DO NOT store in excessive cold or heat or direct sunlight. DO NOT contaminate water, food or feed by storage or disposal. Keep packaging closed, securely fastened and upright. Triple rinse or equivalent and dispose of container in accordance with local, state and federal regulations.

APPLICATION RATES

The rate of application is dependent on the crop requirements, soil fertility and reaction required. See table of recommended application rates for foliar application. For other modes of application, consult a qualified advisor. The lower rates should be used for maintenance while the higher rates will correct nutritional deficiencies.

INCREMENTUM™

F002806

4 - 19 - 26

GUARANTEED ANALYSIS

Total Nitrogen (N)	4.00%
4.0% Nitrate Nitrogen	
Available Phosphate (P ₂ O ₅)	19.00%
Soluble Potash (K ₂ O)	26.00%
Magnesium (Mg)	3.00%
3.0% Water Soluble Magnesium (Mg)	
Sulfur (S)	4.00%
4.0% Combined Sulfur (S)	
Manganese (Mn)	0.50%
0.50% Chelated Manganese (Mn)	
Zinc (Zn)	0.50%
0.50% Chelated Zinc (Zn)	



Agri Technovation Inc.

516 Villa Ave, Ste 23,
Clovis, CA, 93612



Derived From: Magnesium Sulfate, Manganese EDTA, Monopotassium Phosphate, Potassium Nitrate, Zinc EDTA

DRY WATER SOLUBLE PRODUCT FOR FOLIAR SPRAY TO PROMOTE GROWTH IN FRUITS AND NUTS

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

KEEP OUT OF REACH OF CHILDREN.

This product does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, observe good industrial hygiene practices. Do not breathe spray. Wash face, hands and skin thoroughly after handling. Wear protective gloves, protective clothing and eye protection. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. IF ON SKIN (or hair): Immediately remove all contaminated clothing. Rinse skin with water. IF INHALED: If breathing is difficult, move to fresh air and rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

NET WEIGHT: 50 LBS (22.68 kg)

MIXING

Agitate INCREMENTUM™ well before dilution or use. Always mix INCREMENTUM™ with sufficient quantities of water. Never apply INCREMENTUM™ undiluted. Follow standard tank mixing procedures. Ensure good agitation throughout application.

COMPATIBILITY

It is advisable to do a miscibility test prior to mixing with any other product and to consult with a qualified advisor or distributor.

DISCLAIMER

The manufacturer, importer and seller make no express or implied warranties, including any warranty of merchantability, fitness for a particular purpose, or suitability. The product is sold "AS-IS". All sales are final. In no event will manufacturer, importer and seller have any liability for any damages, whether direct, incidental, special or consequential arising out of or in connection with any duty with respect to the product, including, but not limited to lost profits, lost sales or injury to persons or property. Manufacturer, importer and seller's liability on any claim of any kind, including but not limited to warranty, negligence, strict liability, and any other cause of action, for any loss or damage arising out of, connected with, or resulting from the performance or breach of the terms of sale of any goods, or any related services related to sale, delivery, resale, technical direction, inspection, operation or use of any goods or services or part of those goods or services will in no case exceed the purchase price allocable to the goods or services or part of those goods or services that gives rise to the claim. Manufacturer, importer and seller make no representation whatsoever with regard to whether any goods comply with the Occupational Safety and Health Act (OSHA), the Americans with Disabilities Act (ADA), or any other federal, state or local statute, law, ordinance or ruling. Customer, buyer and user assume all responsibility for use of product.

APPLICATION RATES

Crop	Maximum Rate per Acre	Rate per 100 gallons Water	Additional Information
Pome Fruit	13.5 lbs	4.5 lbs	Spray twice, after 100% petal fall, at 7-10 day intervals.
Mango & Lychee	18 lbs	4.5 lbs	Apply 6 weeks after 100% petal fall. Repeat application 4 weeks later and then according to fruit size.
Citrus	18 lbs	4.5 lbs	Apply 6 weeks after 100% petal fall. Repeat application 4 weeks later and then according to fruit size.
Grapes	4.5-6.5 lbs	8.5 lbs	Apply as a foliar spray when berries are 4 mm in diameter and repeat at the start of veraison.
Macadamias	18 lbs	4.5 lbs	Apply as full cover spray when nut diameters are between 18-23 mm and repeat the spray when nut diameters increase to between 26-30 mm.
Bananas	27 lbs	6.5 lbs	Apply as full cover spray 3 weeks after flower emergence and repeat as necessary.
Avocados	18 lbs	4.5 lbs	Apply 6 weeks after 100 % petal fall. Repeat application 4 weeks later and then according to fruit size.
Olives	18 lbs	6.5 lbs	Apply at pit hardening and again 14 days later.
Pecans	18 lbs	7 lbs	Apply as a full cover spray 8 weeks after flowering and repeat 3 weeks later according to nut size.

FOLIAR APPLICATION RATES

Crop	Maximum Rate per Acre	Rate per 100 gallons Water	Additional Information
Stone Fruit	13.5 lbs	4.5 lbs	Apply at pit hardening and again 14 days later.
Strawberry (Field Grown)	3.5 lbs	7 lbs	Apply during fruit fill and ripening at 10-14-day intervals as required.
Tomato (Field Grown)	4.5-5.5 lbs	8.5 lbs	Apply during fruit set and fill at 10-14-day intervals as required.

INCREMENTUM™

F002806

4 - 19 - 26

GUARANTEED ANALYSIS

Total Nitrogen (N)	4.00%
4.0% Nitrate Nitrogen	
Available Phosphate (P ₂ O ₅)	19.00%
Soluble Potash (K ₂ O)	26.00%
Magnesium (Mg)	3.00%
3.0% Water Soluble Magnesium (Mg)	
Sulfur (S)	4.00%
4.0% Combined Sulfur (S)	
Manganese (Mn)	0.50%
0.50% Chelated Manganese (Mn)	
Zinc (Zn)	0.50%
0.50% Chelated Zinc (Zn)	



Agri Technovation Inc.

516 Villa Ave, Ste 23,
Clovis, CA, 93612



Derived From: Magnesium Sulfate, Manganese EDTA, Monopotassium Phosphate, Potassium Nitrate, Zinc EDTA

DRY WATER SOLUBLE PRODUCT FOR FOLIAR SPRAY TO PROMOTE GROWTH IN FRUITS AND NUTS

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

KEEP OUT OF REACH OF CHILDREN.

This product does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, observe good industrial hygiene practices. Do not breathe spray. Wash face, hands and skin thoroughly after handling. Wear protective gloves, protective clothing and eye protection. Wash contaminated clothing before reuse. IF SWALLOWED: Rinse mouth. IF ON SKIN (or hair): Immediately remove all contaminated clothing. Rinse skin with water. IF INHALED: If breathing is difficult, move to fresh air and rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

NET WEIGHT: 50 LBS (22.68 kg)

LIFT
HERE